

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	75	creating with IVR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L2	27	((service adj independent adj building adj blocks) or SIBBs or SIBs or SIBB) and IVR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L3	30	IVR with blocks	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L4	2	("6,104,803").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L5	121	ovidio.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L6	2	("6389126").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L7	0	jonnson.in. and ovidio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L8	2	("6,198,813").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L9	2	("6,003,031").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56

L10	2	("5,974,252").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L11	96	creating with ((voice adj respons\$2) or VRU or ARU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L12	8	(transfer with block\$1) same ((voice adj respons\$2) or VRU or ARU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L13	345	(transfer with block\$1) and ((voice adj respons\$2) or VRU or ARU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L14	121	periphonics	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L15	33	periphonics and ivr	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L16	1	GUI and apex.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L17	0	IVR and apex.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L18	6	omnivox	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L19	184	IVR and GUI and blocks	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56

L20	0	IVR adj builder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L21	61	IVR with build\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L22	4	((("6366658") or ("6389126"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L23	625	((((IVR ARU (voice adj response) ) and (GUI or (graphical adj user adj interface))) and (transfer and block\$1)) and (build or create)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L24	2	("5946485").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L25	71	"5946485".URPN.	USPAT	OR	OFF	2005/10/31 11:56
L26	65	(transfer with (call or number)) and (independent adj building adj block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L27	0	(transfer with (call or number)) and (building adj IVR)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L28	30	(transfer with (call or number)) and (build\$3 with IVR)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L29	48	general adj purpose adj block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56

L30	338	(general with block\$1) and (IVR or (voice adj response))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L31	71	"5946485".URPN.	USPAT	OR	OFF	2005/10/31 11:56
L32	495	(build\$3 or creat\$3) with (IVR or (voice adj response))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L33	293	((build\$3 or creat\$3) with (IVR or (voice adj response))) and transfer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L34	2	("5488650").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L35	338	(general with block\$1) and (IVR or (voice adj response))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L36	49	(generic with block\$1) and (IVR or (voice adj response))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L37	8	(transfer with block\$1) same ((voice adj respons\$2) or VRU or ARU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L38	293	((build\$3 or creat\$3) with (IVR or (voice adj response))) and transfer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L39	3	"6647111".URPN.	USPAT	OR	OFF	2005/10/31 11:56

L40	71	("4797910"   "4845739"   "4930150"   "5048075"   "5128984"   "5133004"   "5165095"   "5185781"   "5251252"   "5255309"   "5259023"   "5325421"   "5349633"   "5351285"   "5353339"   "5519772"   "5533115"   "5553119"   "5561707"   "5572583"   "5581600"   "5583920"   "5689553"   "5692033"   "5706286"   "5742905"   "5793771"   "5802146"   "5805675"   "5818921"   "5825752"   "5854834"   "5867494"   "5881131"   "5881135"   "5883939"   "5915008"   "5917900"   "5920562"   "5923659"   "5923859"   "5926524"   "5930348"   "5931914"   "5937029"   "5946386"   "5953389"   "5956396"   "5974252"   "5987118"   "5987331"   "5995610"   "5999525"   "6003031"   "6014428"   "6018567"   "6038293"   "6041325"   "6044142"   "6044144"   "6044259"   "6081591"   "6104803"   "6108410"   "6111893"   "6122345"   "6134311"   "6137862"   "6144727"   "6198813"   "6233316").PN.	USPAT	OR	OFF	2005/10/31 11:56
L41	8	(transfer with block\$1) same ((voice adj respons\$2) or VRU or ARU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L42	71	((build\$3 or creat\$3) with (IVR or (voice adj response))) same block\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L43	30	(transfer with (call or number)) and (build\$3 with IVR)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56

L44	71	((build\$3 or creat\$3) with (IVR or (voice adj response))) same block\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L45	13	(IVR or (voice adj response)) same block\$1 with general	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L46	96	creating with ((voice adj respons\$2) or VRU or ARU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L47	372	((build\$3 or creat\$3) with (IVR or (voice adj response))) and block\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L48	495	(build\$3 or creat\$3) with (IVR or (voice adj response))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L49	779	((IVR ARU (voice adj response) ) and (GUI or (graphical adj user adj interface))) and (transfer and block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L50	834	apex.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L51	1355	(IVR ARU (voice adj response) ) and (GUI or (graphical adj user adj interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L52	1800	(transfer with (call or number)) and (building adj block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L53	10779	IVR ARU (voice adj response)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56

L54	58024	GUI or (graphical adj user adj interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L55	515258	transfer and block\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L56	53701	(transfer with (call or number)) and (block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L57	59065	general with block\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L58	0	jonnson.in. and ovidio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L59	0	IVR and apex.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L60	6	omnivox	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L61	0	IVR adj builder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L62	0	(transfer with (call or number)) and (building adj IVR)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L63	3	"6647111".URPN.	USPAT	OR	OFF	2005/10/31 11:56
L64	1	GUI and apex.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56

L65	75	creating with IVR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L66	27	((service adj independent adj building adj blocks) or SIBBs or SIBs or SIBB) and IVR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L67	30	IVR with blocks	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L68	2	("6,104,803").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L69	2	("6389126").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L70	2	("6,198,813").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L71	2	("6,003,031").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L72	2	("5,974,252").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L73	96	creating with ((voice adj respons\$2) or VRU or ARU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56

L74	8	(transfer with block\$1) same ((voice adj respons\$2) or VRU or ARU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L75	33	periphonics and ivr	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L76	61	IVR with build\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L77	4	((("6366658") or ("6389126"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L78	2	("5946485").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L79	71	"5946485".URPN.	USPAT	OR	OFF	2005/10/31 11:56
L80	65	(transfer with (call or number)) and (independent adj building adj block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L81	30	(transfer with (call or number)) and (build\$3 with IVR)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L82	48	general adj purpose adj block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L83	71	"5946485".URPN.	USPAT	OR	OFF	2005/10/31 11:56
L84	2	("5488650").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56

L85	49	(generic with block\$1) and (IVR or (voice adj response))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L86	8	(transfer with block\$1) same ((voice adj respons\$2) or VRU or ARU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L87	71	("4797910"   "4845739"   "4930150"   "5048075"   "5128984"   "5133004"   "5165095"   "5185781"   "5251252"   "5255309"   "5259023"   "5325421"   "5349633"   "5351285"   "5353339"   "5519772"   "5533115"   "5553119"   "5561707"   "5572583"   "5581600"   "5583920"   "5689553"   "5692033"   "5706286"   "5742905"   "5793771"   "5802146"   "5805675"   "5818921"   "5825752"   "5854834"   "5867494"   "5881131"   "5881135"   "5883939"   "5915008"   "5917900"   "5920562"   "5923659"   "5923859"   "5926524"   "5930348"   "5931914"   "5937029"   "5946386"   "5953389"   "5956396"   "5974252"   "5987118"   "5987331"   "5995610"   "5999525"   "6003031"   "6014428"   "6018567"   "6038293"   "6041325"   "6044142"   "6044144"   "6044259"   "6081591"   "6104803"   "6108410"   "6111893"   "6122345"   "6134311"   "6137862"   "6144727"   "6198813"   "6233316").PN.	USPAT	OR	OFF	2005/10/31 11:56
L88	8	(transfer with block\$1) same ((voice adj respons\$2) or VRU or ARU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56

L89	71	((build\$3 or creat\$3) with (IVR or (voice adj response))) same block\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L90	30	(transfer with (call or number)) and (build\$3 with IVR)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L91	71	((build\$3 or creat\$3) with (IVR or (voice adj response))) same block\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L92	13	(IVR or (voice adj response)) same block\$1 with general	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L93	96	creating with ((voice adj respons\$2) or VRU or ARU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L94	121	ovidio.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L95	121	periphonics	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L96	184	IVR and GUI and blocks	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L97	293	((build\$3 or creat\$3) with (IVR or (voice adj response))) and transfer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L98	293	((build\$3 or creat\$3) with (IVR or (voice adj response))) and transfer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56

L99	345	(transfer with block\$1) and ((voice adj respons\$2) or VRU or ARU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L100	338	(general with block\$1) and (IVR or (voice adj response))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L101	338	(general with block\$1) and (IVR or (voice adj response))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L102	495	(build\$3 or creat\$3) with (IVR or (voice adj response))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L103	625	((IVR ARU (voice adj response) ) and (GUI or (graphical adj user adj interface))) and (transfer and block\$1)) and (build or create)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L104	0	((service adj independent adj building adj blocks) or SIBBs or SIBs or SIBB) with configur\$6 same IVR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56
L105	20	((service adj independent adj building adj blocks) or SIBBs or SIBs or SIBB or block\$1) with configur\$6 same IVR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 11:56

# Interference search

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L106	1	((ivr or aru or (voice adj response)) and promp\$3 and transfer\$3 and block\$1).clm.	US-PGPUB	OR	OFF	2005/10/31 12:28
L107	110	379/88.16.ccls.	US-PGPUB	OR	OFF	2005/10/31 12:28
L108	107	379/88.18.ccls.	US-PGPUB	OR	OFF	2005/10/31 12:28